


Flame-retardant armored optical cable



AI Overview

Flame-retardant armored optical cables are available in multiple models from manufacturers like Draka FireTuf, QFCI, ETK Kablo, and APAR, offering fire resistance, LSZH sheaths, and armored protection for critical infrastructure.

Key Models and Specifications

- Draka FireTuf Fiber Optic Cables**
 Fiber Types: OM1, OM3, OM4 multimode; OS2 singlemode
 Core Counts: 4, 8, 12, 24
 Construction: Corrugated steel tape armor, central loose tube, internal/external LSZH sheath
 Fire Standards: IEC 60331-25 (fire resistant), IEC 60332-2-3-24C (flame retardant)
 Features: Bend-insensitive MaxCap BendBright™ technology, UV-stable outer sheath
 Applications: Fire alarm systems, voice alarm systems, tunnels, metro lines, public buildings
 Benefits: Maintains circuit integrity and performance during fire events, high-speed data transmission over long distances
- QFCI Fire-Resistant Armored Cables**
 Fiber Type: OM1 62.5/125 multimode
 Construction: Loose tube with steel braid armor, LSZH sheath
 Fire Resistance: IEC 60331-25, operational for 3 hours at 750°C
 Certifications: DNV-GL, ABS for offshore and marine use
 Applications: Offshore rigs, ships, yachts, commercial vessels
 Features: Weather, UV, and oil resistant; flexible for installation in harsh environments
- ETK Kablo Fire-Resistant Fiber Optic Cables**
 Standards: CPR B2ca, FE180 fire-resistance
 Features: Low smoke, zero halogen, flame retardant
 Applications: Tunnels, hospitals, airports, industrial plants, data centers, railway networks
 Benefits: Maintains optical signal integrity under extreme heat, mechanical durability, global compliance with EU and international safety codes
- APAR Fire Survival Optical Cables**
 Fiber Types: G652.D, G657.A, G655 singlemode; OM1, OM2, OM3, OM4 multimode
 Core Counts: 2F to 512F
 Construction: Gel-filled loose tubes around central strength member, steel wire or corrugated steel tape armor, LSZH sheath
 Fire Resistance: Operates for 3 hours at 750°C
 Applications: Fire alarm systems, voice evacuation, public buildings, tunnels, metro lines
 Features: Hal...

Article Content

HES 24 Core Steel Armored Fiber Optic Cable OM4 50/125μ MultiMode |

HES 24 Core Single Tube Steel Armored Fiber Optic Cable, OM4 50/125μ MultiMode. Offers ideal and reliable solutions for large network applications.

Used 150M/492FT LC to LC Armored Outdoor Fiber Optic Cable,

The cable maintains the handling advantages of a standard patch cord, making it strong yet installer-friendly. Flame-Retardant & Easy to Install The black LSZH jacket is flame-retardant and low-smoke,

Fiber Optic Cable Jacket Guide: OFNP vs OFNR, LSZH, PVC, PE,

Compare fiber optic cable jacket materials and fire ratings: OFNP vs OFNR, LSZH, PVC, PE, TPU. Selection guide for data center, FTTH, outdoor, and industrial use. Request samples.

Optical data cable

Find out all of the information about the ZTT product: optical data cable OFC series. Contact a supplier or the parent company directly to get a quote or to find out a price or your closest point of sale.

Indoor Fiber Optic Cables | Flame Retardant Indoor Cable Products

The specially formulated, flame-retardant outer cable jacket and rugged construction of these cables facilitates routing through riser shafts and long horizontal runs inside buildings.

LSZH Flame Retardant GYTA33 Fiber Optic Cable SWA Steel Wire Armored ...

Guangdong, China Product Name GYTA33 Fiber Optic Cable Fiber Type Singlemode G652D Core Number 24 Core / 48 Core / 96 Core / 144 Core Strength Member Steel Wire Jacket Material LSZH

QFCI OM1 62.5/125 Fire Resistant Armoured Loose

The cable is sheathed in a Low Smoke Halogen Free compound in accordance with IEC 60092-359 providing weather, UV & Oil resistance making the cable ideal for

Fiber Optic Cables Armoured A

Indoor and outdoor, flame retardant, LSZH or PVC, loose tube, Armored SWA (Steel wires Armor), SWB (Steel wires Braid) or CST (Coarrugated Steel Tape).

Opti-Core™ Fibre Optic Indoor-Outdoor Armoured Cable 48 to

The fibre cable shall contain 48 to 144 fibres and have an armoured loose tube construction. It shall be suitable for indoor applications, complying with IEC standards for low smoke/zero halogen and

Fire Resistant Fiber Optic Cables CPR B2ca | ETK Kablo

Certified to B2ca CPR and FE180 fire-resistance standards, these cables maintain optical integrity under extreme heat and flame exposure—ideal for tunnels, hospitals, airports, industrial plants, data

Uplink waterproof and flame-retardant outdoor optical cable: your ...

Uplink waterproof and flame-retardant outdoor fiber optic cable is specifically designed for outdoor environments. featuring a high-strength armored construction, it maintains stable signal

The FOA Reference For Fiber Optics

Direct burial OSP cables are usually armored or installed in conduit. Armored indoor cables are available with NEC rated jackets for placement with other cables

Product Spec Sheet 004K8P-31130-A3

004K8P-31130-A3 Corning FREEDM® One interlocking armored cables are flame-retardant, indoor/outdoor cables designed for interbuilding and intrabuilding backbone installations

FREEDM® One Tight-Buffered, Interlocking Armored Cable, Plenum

Corning FREEDM® One interlocking armored cables are flame-retardant, indoor/outdoor cables designed for interbuilding and intrabuilding backbone installations that eliminate the need for a

Haile Outdoor 100 Pairs Logarithmic Telephone Cable HT-1100 - Flame ...

Buy Haile Outdoor 100 pairs large logarithmic telephone cable HT-1100 with flame retardant PE jacket. Ideal for local telephone lines, durable, safe, and weather-resistant. 100 meters per roll.

Fire resistant/survival cables

APAR offers 2F to 512 F optical fibre cables, in armoured and unarmoured designs. The cable ensures operation for 3 hours in fires up to 750°C. The cable is

Fibre Optic Cables | Belcom Cables

A highly flame retardant, universal loose tube fibre optic cable for use where resistance to fire is needed for critical systems. This cable can be installed

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.umele-pestovani.eu>

Email: info@umele-pestovani.eu

Phone: +49 152 287 6349

Address: Neue Mainzer Straße 66-68, 60311 Frankfurt am Main, Germany

This document is for informational purposes only. Specifications subject to change without notice.

